CONTENTS OF VOLUME 430

November 1990

LI Kaiying, PONTE J. & SADLER C.L. Carotid body chemoreceptor response to prolonged hypoxia in the rabbit: effects of domperidone and propranolol. 1

HURST A.M. & HUNTER M. Stretch-activated channels in single early distal tubule cells of the frog. 13

JONES C.T. & EDWARDS A.V. Adrenal responses to corticotrophin-releasing factor in conscious hypophysectomized calves. 25

KILBORN Michael J. & FEDIDA David A study of the developmental changes in outward currents of rat ventricular myocytes. 37

BAGNI M.A., CECCHI G. & COLOMO F. Myofilament spacing and force generation in intact frog muscle fibres. 61

KHOSHBATEN A. & FERRELL W.R. Alterations in cat knee joint blood flow induced by electrical stimulation of articular afferents and efferents. 77

WANG M.Y. & DUN N.J. 5-Hydroxytryptamine responses in neonate rat motoneurones *in vitro*. 87

GANDEVIA S.C. & HOBBS S.F. Cardiovascular responses to static exercise in man: central and reflex contributions. 105

ARECHIGA H., CANNONE A., PARNAS H. & PARNAS I. Blockage of synaptic release by brief hyperpolarizing pulses in the neuromuscular junction of the crayfish. 119

FIRESTEIN Stuart, SHEPHERD Gordon M. & WERBLIN Frank S. Time course of the membrane current underlying sensory transduction in salamander olfactory receptor neurones. 135

LUX H.D., CARBONE E. & ZUCKER H. Na^+ currents through low-voltage-activated Ca^{2+} channels of chick sensory neurones: block by external Ca^{2+} and Mg^{2+}. 159

HENDERSON G., JOHNSON J.W. & ASCHER P. Competitive antagonists and partial agonists at the glycine modulatory site of the mouse *N*-methyl-D-aspartate receptor. 189

EDWARDS F.A., KONNERTH A. & SAKMANN B. Quantal analysis of inhibitory synaptic transmission in the dentate gyrus of rat hippocampal slices: a patch-clamp study. With an Appendix by C. BUSCH. 213

BUSCH C. Appendix to 'Quantal analysis of inhibitory synaptic transmission in the dentate gyrus of rat hippocampal slices: a patch-clamp study.' 241

MEHRKE G. & DAUT J. The electrical response of cultured guinea-pig coronary endothelial cells to endothelium-dependent vasodilators. 251

FAN Zheng, NAKAYAMA Keiko & HIRAOKA Masayasu Multiple actions of pinacidil on adenosine triphosphate-sensitive potassium channels in guinea-pig ventricular myocytes. 273

AUDINAT E., KNÖPFEL T. & GÄHWILER B.H. Responses to excitatory amino acids of Purkinje cells and neurones of the deep nuclei in cerebellar slice cultures. 297

YOSHIMURA Megumu & JESSELL Thomas Amino acid-mediated EPSPs at primary afferent synapses with substantia gelatinosa neurones in the rat spinal cord. 315

ITO S., KUROKAWA A., OHGA A., OHTA T. & SAWABE K. Mechanical, electrical and cyclic nucleotide responses to peptide VIP and inhibitory nerve stimulation in rat stomach. 337

KURAHASHI Takashi The response induced by intracellular cyclic AMP in isolated olfactory receptor cells of the newt. 355

THOMAS Steven A. & HUME Richard I. Irreversible desensitization of ATP responses in developing chick skeletal muscle. 373

FUJII Kenichiro, HEISTAD Donald D. & FARACI Frank M. Ionic mechanisms in spontaneous vasomotion of the rat basilar artery *in vivo*. 389

GUNDERSEN Kristian Spontaneous activity at long-term silenced synapses in rat muscle. 399

CAMERON D.A. & PUGH E.N. JR The magnitude, time course and spatial distribution of current induced in salamander rods by cyclic guanine nucleotides. 419

ANDERSON Page A.W., FAIR Elizabeth C., KILLAM Allen P., NASSAR Rashid, MAINWARING Richard D., ROSEMOND Richard L. & WHYTE Lynne M. The *in utero* left ventricle of the fetal sheep: the effects of isoprenaline. 441

LIDIERTH Malcolm & APPS Richard Gating in the spino-olivocerebellar pathways to the c_1 zone of the cerebellar cortex during locomotion in the cat. 453

MARUYAMA Yoshio Inhibitory effects of arachidonic acid on muscarinic current response in single pancreatic acinar cells of rats. 471

GUPTA Banshi D. & WILLIAMS Theodore P. Lateral diffusion of visual pigments in toad (*Bufo marinus*) rods and in catfish (*Ictalurus punctatus*) cones. 483

VYKLICKÝ Ladislav JR, VLACHOVÁ Viktorie & KRŮŠEK Jan The effect of external pH changes on responses to excitatory amino acids in mouse hippocampal neurones. 497

O'NEILL S.C. & EISNER D.A. A mechanism for the effects of caffeine on Ca^{2+} release during diastole and systole in isolated rat ventricular myocytes. 519

GRÜSSER O.-J., PAUSE M. & SCHREITER U. Localization and responses of neurones in the parieto-insular vestibular cortex of awake monkeys (*Macaca fascicularis*). 537

GRÜSSER O.-J., PAUSE M. & SCHREITER U. Vestibular neurones in the parieto-insular cortex of monkeys (*Macaca fascicularis*): visual and neck receptor responses. 559

VALLI P., ZUCCA G. & BOTTA L. Perilymphatic potassium changes and potassium homeostasis in isolated semicircular canals of the frog. 585

WADA Minoru, MORIMOTO Akio, WATANABE Tatsuo, SAKATA Yoshiyuki & MURAKAMI Naotoshi Effects of physical training on febrile and acute-phase responses induced in rats by bacterial endotoxin or interleukin-1. 595

SAH Pankaj, HESTRIN Shaul & NICOLL Roger A. Properties of excitatory postsynaptic currents recorded *in vitro* from rat hippocampal interneurones. 605

DAY B.L., DRESSLER D., HESS C.W., MAERTENS DE NOORDHOUT A., MARSDEN C.D., MILLS K., MURRAY N.M.F., NAKASHIMA K., ROTHWELL J.C. & THOMPSON P.D. Erratum: Direction of current in magnetic stimulating coils used for percutaneous activation of brain, spinal cord and peripheral nerve. 617

MCKIRDY H.C., MCKIRDY Mairi L. & MARSHALL R.W. Erratum: *Journal of Physiology* **422** (1990). 618

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

27–28 *July* 1990

Oxford Meeting

DEMONSTRATIONS

Buckler K.J., Vaughan-Jones R.D. & Lagadic-Gossmann D. Measurement of pH_i in isolated single cells using the dual-emission fluoroprobe carboxy-SNARF-1. 2*P*

Annetts C., Terrar D.A. & White E. Measurement of cardiac cell length by analysis of a video image. 3*P*

Miall R.C., Kerr G.K. & Stein J.F. A novel rotating joystick to study visual and kinaesthetic guidance of human manual tracking movements. 4*P*

Crossley A.W.A. & Cruickshank S.G.H. Carbon dioxide kinetics in pulmonary air embolism: a computer simulation. 5*P*

Rees A. A closed-field sound system for auditory neurophysiology. 6*P*

Stockley E.W. & Wheal H.V. A model of the space-clamp properties of hippocampal CA1 pyramidal neurones. 7*P*

Hainsworth Atticus H., Röper J. & Ashcroft Frances M. Isolation and characterization of single neurones from guinea-pig substantia nigra. 8*P*

Palmer R.E., Mulligan I.P., Lea T.J. & Ashley C.C. Flash photolysis of caged compounds used in the study of muscle kinetics. 9*P*

Simpson A.W.M. & Ashley C.C. Simultaneous measurement of intracellular free calcium ($[Ca^{2+}]_i$) and intracellular pH (pH_i) using dual-loading of Fura-2 and SNARF-1. 10*P*

Simpson A.W.M. Intracellular alkalinization by ammonium chloride inhibits the vasopressin-evoked maintained elevation of intracellular free calcium $[Ca^{2+}]_i$ in cultured A10 smooth muscle cells. 11*P*

Bagust J. & Fitzsimmons J.T.R. A low-cost system for producing histology tutorials using the Archimedes microcomputer. 12*P*

Major G., Larkman A.U. & Jack J.J.B. Constraining non-uniqueness in passive electrical models of cortical pyramidal neurones. 13*P*

First G.A.M., Gallimore C.M., Huxley C.J., Jeppesen L.E. & Rowley C.J. Improved preparation of manuscripts and correction of proofs for papers submitted to *The Journal of Physiology* and *Experimental Physiology*. 14*P*

Nicoll A. & Blakemore C. Dual intracellular impalement *in vitro* reveals excitatory synaptic connections between pyramidal neurones in rat visual cortex. 15*P*

Hunter M. SCAP – a single-channel analysis program for IBM microcomputers and compatibles. 16*P*

Cotterrell D. & Howarth J.V. Production of abstracts for the Proceedings of the Society from computer disc and by optical character recognition: preliminary results. 16*P*

COMMUNICATIONS

Young A. The effects of the bacterial enterotoxin *E. coli* STa on fluid transport in the anaesthetized rat colon *in vivo*. 17*P*

Nzegwu Helen & Levin R.J. An enteric neural muscarinic–adrenergic pathway (ENCAP) that inhibits serotonin electrogenic ion secretion in rat proximal, mid and distal colon *in vitro*. 18*P*

Wilson S.M., Pediani J.D., McEwan P.E. & Elder H.Y. Kinetics and Na^+ dependence of cholinergically evoked Ca^{2+} influx in the rat submandibular gland *in vitro*. 19*P*

Tobin G., Ekström J., Edwards A.V. & Bloom S.R. Submandibular secretion, blood flow and release of neuropeptides in response to parasympathetic stimulation in the anaesthetized ferret. 20*P*

Dwight J.F. St J. & Hendry B.M. Inhibition of human erythrocyte sodium pump by saturated short chain phospholipids. 21*P*

Larsen E. Hviid, Willumsen N.J., Vestergaard L. & Christoffersen B.C. Active chloride current in amphibian epidermis is energized by an apical rheogenic proton pump of mitochondria-rich cells. 22*P*

Callaghan J., Haylor J., Thewles A. & Lote C.J. Reduction of short-circuit current in vasopressin-stimulated frog (*Rana temporaria*) skin *in vitro* by L-nitroarginine methylester (L-NAME). 23*P*

Macknight A.D.C., McLaughlin C.W., Bowler J.M., Purves R.D., Butt A.G. & Zellhuber-McMillan S. Effects of voltage clamping on the composition of isolated *Bufo marinus* toad bladder epithelial cell, measured using X-ray microanalysis. 24P

Marples D., Bourguet J., Gobin R. & Taylor A. NEM induces particle aggregates in the apical plasma membrane of granular epithelial cells of the urinary bladder of *Bufo marinus*. 25P

Plange-Rhule J., Marshall A., Robinson D., Turnbull A. & Atherton J.C. Lithium clearance: effects of bumetanide in chronically instrumented rats. 26P

Shirley D.G. & Walter S.J. The lithiuretic effect of frusemide: a micropuncture study in anaesthetized rats. 27P

Greenwood S.L., White S.J. & Green R. Effect of bumetanide and DIDS (4,4′-diisothiocyanostilbene-2,2′-disulphonate) on acidification in the proximal renal tubule of anaesthetized rats. 28P

Agulian S., Capasso G., Giebisch G. & Unwin R. Evidence for net potassium (K) reabsorption and increased proton (H^+) secretion in the distal tubule of potassium-depleted (LK) anaesthetized rats. 29P

Hurst A.M. & Hunter M. Acute changes in apical membrane conductance in frog isolated diluting segment mediated by changes in the number of functional channels. 30P

Schlatter E., Bleich M., Lohrmann E., Rouch A., Markstahler U. & Greger R. The luminal K^+ conductance of isolated perfused cortical collecting ducts of the rat. 31P

Nonaka T., Warden D.H. & Stokes J.B. Regulation of K^+–K^+ exchange mode of Na^+–K^+ pump by intracellular phosphorus concentration in rabbit isolated cortical collecting duct. 32P

Leung Y.H. The effect of propranolol, caffeine and temazepam on the cardiovascular responses and performance of medical students in a perception and cognition task. 33P

Bergel D.H. & Richmond P.H. Does the carotid sinus baroreflex reset in humans? 34P

Nyunt-Wai V. & Laycock J.F. The pressor response to vasopressin is not attenuated by hypertonic NaCl in the anaesthetized Brattleboro rat. 35P

Gardiner S.M., Compton A.M., Bennett T. & Kemp P.A. Changes in cardiac function following administration of vasopressin or methoxamine in concious rats. 36P

Vongsavan N. & Matthews B. Fluid flow through exposed dentine in anaesthetized cats. 37P

Mühleisen H., Born G.V.R. & Michel C.C. Effects of neuraminidase on vascular resistance under conditions of maximum vasodilatation in the isolated perfused rat ileum. 38P

Cunnane T.C. & Evans R.J. ATP and noradrenaline released from sympathetic nerve terminals mediate contraction of the rabbit jejunal artery. 39P

Helle K.B., Aardal S., Reed R.K. & Elsayed S. *N*-terminal fragment of bovine chromogranin A inhibits the contractile response to endothelin-1 in human venous and arterial isolated segments. 40P

Baydoun A.R., Emery P.W., Pearson J.D. & Mann G.E. Modulation of intracellular amino acid concentrations in cultured bovine aortic endothelial cells deprived of exogenous L-arginine. 41P

Flitney F.W., Megson I.L., Clough T. & Butler A.R. Nitrosylated iron–sulphur clusters, a novel class of nitrovasodilator: studies on the rat isolated tail artery. 42P

Barer Gwenda, Bee Denise & Emery Celia. An arginine analogue exacerbates hypertension in normoxic lungs isolated from chronically hypoxic rats. 43P

Robertson B.E., Warren J.B. & Nye P.C.G. Influence of L-NMMA on the pressure–flow relation of isolated rat lungs. 44P

Sun M.-K. & Spyer K.M. Area postrema inputs to the medullary sympathoexcitatory neurones in the anaesthetized rat. 45P

Mahony M.T. & Lovick T.A. Role of paraventriculo-spinal neurones in mediating short-term cardiovascular adjustments in response to volume load in anaesthetized rats. 46P

Zagon A. & Smith A.D. Iontophoretic application of glutamate for mapping vasomotor sites in the ventral medulla oblongata of the anaesthetized rat. 47P

Seabrook G.R., Howson W. & Lacey M.G. Presynaptic inhibition of excitatory transmission in rat striatum *in vitro* through $GABA_B$ receptors: comparisons of a novel agonist and antagonist with baclofen and phaclofen. 48P

Rennie Katie J., Lapeyre Pascale N.M. & Ashmore J.F. Potassium current regulation by voltage and by GABA in isolated type I hair cells of the guinea-pig semicircular canals. 49P

Eaton S.A. & Salt T.E. Intracellular recording of sensory excitatory postsynaptic potentials (EPSPs) and their antagonism by selective NMDA and non-NMDA receptor antagonists in the ventrobasal thalamus (VB) of the anaesthetized rat. 50P

Jones R.S.G. A comparison of NMDA receptor-mediated potentials and intrinsic properties of layer II entorhinal cortical neurones in neonate and adult rats *in vitro*. 51*P*

Radpour Shahrzad & Thomson Alex M. Glycine and spermine enhance responses of CA1 pyramidal neurones to NMDA in slices of rat hippocampus. 52*P*

Szatkowski Marek, Barbour Boris & Attwell David Release of glutamate from glial cells by reversal of glutamate uptake studied by whole-cell patch-clamping of Müller cells isolated from the tiger salamander retina. 53*P*

Crepel F. & Jaillard D. Use-dependent changes of parallel fibre-mediated EPSPs in rat cerebellar Purkinje cells *in vitro*. 54*P*

Farmer S.F., Bremner F.D. & Stephens J.A. Evidence for a central nervous origin of motor unit coherence in man. 55*P*

Kirkwood P.A. Synaptic connections in the thoracic spinal cord from expiratory bulbospinal neurones in the anaesthetized cat. 56*P*

Moroz L.L. Dopaminergic mechanisms of integration of respiratory behaviour in the pond snail, *Lymnaea stagnalis* (L.). 57*P*

Miall R.C., Weir D.J., Desai P., Winter J. & Stein J.F. The contribution of the lateral cerebellar cortex to visually guided movement in the rhesus monkey. 58*P*

Gardner-Medwin A.R. Constraints on the use of inhibition in neural discrimination of learned contexts. 59*P*

Alaei H. & Angel A. The effect of modulating central noradrenergic systems on cerebral evoked responses in the urethane-anaesthetized rat. 60*P*

Larkman A.U., Stratford K.J. & Jack J.J.B. Quantal analysis of excitatory synaptic transmission in the CA1 subfield of rat hippocampus *in vitro*. 61*P*

Jones S.A., Annetts C., Preston M. & Greenfield S.A. An improved method for correlating behaviour with acetylcholinesterase release from the brain of the awake guinea-pig 'on-line'. 62*P*

Lyons P.R. & Slater C.R. Structure and function of neuromuscular junctions in the isolated epitrochleoanconeus muscle of the dystrophin-deficient *mdx* mouse. 63*P*

Cunnane T.C. & Ziogas J. The effect of calcium on facilitation of sympathetic transmission in the guinea-pig isolated vas deferens. 64*P*

Bruton J.D. Contraction of isolated rat soleus muscle following exposure to hypertonic urea, mannitol or sucrose Krebs solution at 22 and 37 °C. 65*P*

Cecchi G., Griffiths P.J., Bagni M.A., Ashley C.C. & Maeda Y. Time-resolved X-ray diffraction studies on intact single muscle fibres of *Rana temporaria* during rapid length changes. 66*P*

Curtin N.A. & Williams Thelma L. Force during shortening and stretch of active muscle fibres isolated from the lamprey, *Ichthyomyzon unicuspis*. 67*P*

Hollingworth S., Harkins A.B. & Baylor S.M. Absorbance and fluorescence signals from fluo-3 in isolated frog skeletal muscle fibres. 68*P*

Broadhead M.W., Cady E.B., Llewelyn M.J., Newham D.J., Tong H.N. & Wade A.J. Effect of temperature on human muscle fatigue studied by ^{31}P NMR spectroscopy. 69*P*

Gasser Robert N.A. & Vaughan-Jones Richard D. Microelectrode measurement of free intracellular magnesium during simulated ischaemia and metabolic inhibition in the isolated sheep cardiac Purkinje fibre. 70*P*

Ryder Kathryn O., Bryant S.M. & Hart G. Calcium and calcium-activated currents in hypertrophied left ventricular myocytes isolated from guinea-pig. 71*P*

Suleiman M.S. & Chapman R.A. Interactions between intracellular levels of amino acids and sodium in isolated guinea-pig hearts during calcium depletion. 72*P*

Burnashev Nail, Edwards Frances & Verkhratsky Alexej. Rat cardiac slices: application of patch-clamp technique. 73*P*

Dart Caroline & Vaughan-Jones R.D. A HCO_3-dependent mechanism regulates pH_i from an acid load in isolated sheep cardiac Purkinje fibres. 74*P*

Paterson David J., Denyer Jane C., Brown Hilary F. & Powell Trevor Effects of β-adrenergic agonists and calcium on guinea-pig isolated ventricular myocyte action potential hyperkalaemia. 75*P*

White E. & Terrar D.A. The effects of reducing extracellular potassium on Ca-activated currents in isolated guinea-pig ventricular myocytes. 76*P*

Jacob Ron Histamine-induced Ba^{2+} influx into single cultured human umbilical vein endothelial cells. 77*P*

Burn-Murdoch R. The effect of different oral functions on the eruption of rat incisor teeth. 78*P*

Nathanielsz P.W., Honnebier M.B.O.M. & Figueroa J.P. Prolongation of gestation in pregnant rhesus monkeys following fetectomy. 79*P*

Garland H.O., Freeman S., Burns C. & Cusack M. Renal function in chronically catheterized conscious rats with experimental diabetes mellitus. 80*P*

Musabayane C.T. Renal fluid and electrolyte excretion in anaesthetized streptozotocin diabetic rats. 81*P*

Balment R.J. & Al Barazanji K.A. Renal and endocrine effects of central galanin in the anaesthetized rat. 82*P*

Emmeluth C. & Bie P. Selective cerebral hypernatraemia induced by split infusion increases renal sodium excretion in servo-controlled conscious dogs. 83*P*

Smith C.P. & Windle R.J. Possible mechanism of arginine vasopressin (AVP)-induced natriuresis in the anaesthetized rat. 84*P*

Windle R.J., Smith C.P. & Forsling Mary L. Plasma hormone concentrations accompanying altered sodium excretion in the dehydrated rat. 85*P*

Brown J., Salas S.P. & Polak J.M. Receptors for atrial natriuretic peptide ($ANP_{(1-28)}$) in the kidneys of Wistar–Kyoto and spontaneously hypertensive rats. 86*P*

Law R.O. Renal papillary amino nitrogen levels decrease during acute water diuresis in rats. 87*P*

Ward P.S., Cashman S.J., Rees A.J. & Fuller R.W. Cyclo-oxygenase inhibition decreases albuminuria in nephrotoxic nephritis in rats. 88*P*

Abu-Kishk R.A. & Noble A.R. Effect of potassium channel activation with BRL34915 on renin release by superfused isolated rat kidney cortex cells. 89*P*

Wilson Rachel C., Oldfield W.L.G. & Jones P.W. Breathlessness during exercise over a six month period following four weeks at an altitude of 4000 metres. 90*P*

Honda Y. Depression of CO_2–ventilation response by mild hypoxia in patients with bilateral carotid body resection. 91*P*

MacDonald J.W., Ward S.A. & Whipp B.J. Prediction of peripheral chemoreceptor ventilatory drive during heavy exercise in humans. 92*P*

Keatinge W.R. & Neild Penelope J. Use of rectal radiopill to monitor human body core temperature during four mile swim across Beagle Channel, Tierra del Fuego. 93*P*

Band D.M. & Linton R.A.F. The effect of adrenaline on carotid chemoreceptor discharge in the anaesthetized cat. 94*P*

Babcock M.A., Cunningham D.A. & Paterson D.H. Gas exchange dynamics in the exercise on-transients across ages 30 to 80 years in man. 95*P*

Corfield D.R., Hanafi Z., Webber S.E. & Widdicombe J.G. Changing blood flow alters tracheal mucosal thickness in anaesthetized sheep. 96*P*

Millar J. & Williams G.V. The relationship between P_{O_2} and neuronal activity in the dorsal horn of anaesthetized rats. 97*P*

O'Shaughnessy C.T., Butcher S.P., Lythgoe D.J., Wood B. & Steward M.C. Effects of hypoxia on phosphorus metabolites and intracellular pH in the fetal rat brain studied *in utero* by ^{31}P NMR spectroscopy. 98*P*

Strupp M., Jund R. & Grafe P. Glucose availability, pH homeostasis and sensitivity to anoxia of isolated rat peroneal nerve. 99*P*

Franklin P.A. & Pullen R.G.L. ^{65}Zn exchanges between blood and brain across cerebral capillaries and choroid plexuses in the anaesthetized rat. 100*P*

Bindman L.J., Brading A.F. & Tansey E.M. 'To dine with ladies smelling of dog'? – the election of women to the Physiological Society, 1915–1990. 101*P*

Baumann K.I. & Tsu S.Y.H. Responsiveness of slowly adapting type I (SA I) mechanoreceptors in a skin–nerve *in vitro* preparation isolated from anaesthetized rats. 102*P*

Donevan S.D. & Abrahams V.C. Trigeminal neurones activated by glabrous skin of the nose in the anaesthetized cat. 103*P*

Molnar Zoltan & Blakemore Colin Relationship of corticofugal and corticopetal projections in the prenatal establishment of projections from thalamic nuclei to specific cortical areas of the rat. 104*P*

Tolhurst D.J., Lewis P.R. & Shelley A. The morphology of the optic nerve of the grey squirrel, *Sciurus carolinensis*. 105*P*

Hammond Peter & Fothergill Lindsay K. Ocular dominance of striate cortical neurones in the anaesthetized cat: variation with spatial frequency. 106*P*

Jones H.E. & Sillito A.M. An evaluation of the contribution of cells in the perigeniculate nucleus (PGN) to the generation of length tuning in cells in the dorsal lateral geniculate nucleus (dLGN) of the anaesthetized cat. 107*P*

Brent P.J. & Ruddock K.H. Colour-opponent responses in human vision: psychophysical measurement of spectral responses. 108*P*

Amassian V.E., Maccabee P.J., Cracco R.Q., Cracco J.B., Rudell A.P. & Eberle L. A short magnetic pulse train to human occipital cortex prolongs visual suppression. 109*P*

Carlile Simon & King A.J. Acute pinnectomy results in an ambiguous representation of auditory space within the superior colliculus of the anaesthetized ferret. 110*P*

Asif M. & Edgley S.A. Projections of dorsal horn spinocerebellar tract neurones to the region of nucleus Z in the anaesthetized cat. 111*P*

Smith G.D., Bowden A.F., Birrell G.J., McQueen D.S. & Harmar A.J. Neuropeptide content of dorsal root ganglia cells in the arthritic rat. 112*P*

Lewin Gary R., Winter Janet & McMahon Stephen B. Regulation of afferent connectivity by nerve growth factor in the adult rat spinal cord. 113*P*

Brown M.C., Lunn E.R., Lam S. & Perry V.H. Accuracy of reinnervation of motor axons following nerve crush in C57BL/Ola mice. 114*P*

Dekkers Joanna, Becker David, Cook Jeremy & Navarrete Roberto A morphological study of developing rat hindlimb flexor motoneurones. 115*P*

Kennedy H., Meissirel C., Dehay C., Berland M. & Dumas A.M. Remodelling of cortical connections during prenatal development in the monkey. 116*P*

Tomita T., Tokuno H. & Parekh A.B. Electrical and mechanical responses of isolated guinea-pig stomach to catecholamine. 117*P*

Brading A.F. & Chen H.-I. High potassium solution induces relaxation in the isolated pig urethra. 118*P*

Inoue R. Lanthanum augments ACh-induced inward current through modification of voltage-dependent gating in isolated guinea-pig ileum. 119*P*

Markwardt Fritz & Isenberg Gerritt Ca^{2+}-dependent activation of maxi K^+ channels studied by fast concentration jumps in inside-out patches of myocytes from guinea-pig urinary bladder. 120*P*

Huang Y. & Nelson M.T. Internal tetrapentylammonium block of Ca^{2+}-activated K^+ channels of smooth muscle cells isolated from rabbit mesenteric artery. 121*P*

Green Fiona K. & Peers C. Intracellular acidosis inhibits Ca^{2+}-dependent K^+ currents in isolated type I cells of the neonatal rat carotid body. 122*P*

Oosawa Yoshio, Ashcroft Stephen J.A. & Smith Paul A. Ca^{2+}-activated K^+ channels from an insulin-secreting β-cell line incorporated into planar lipid bilayers. 123*P*

Dunne M.J., Li G.-D., Milani D., Wollheim C.B. & Petersen O.H. Externally applied ATP closes ATP-regulated potassium channels, increases cytosolic Ca^{2+} and evokes the secretion of insulin from clonal pancreatic β-cells. 124*P*

Linsdell P., Forsythe I.D. & Stanfield P.R. Rectification of unitary A-current in cultured rat locus coeruleus neurons is the result of a voltage-dependent block by internal Mg^{2+} and Na^+. 125*P*

Keynes R.D. Modelling of the non-inactivating open state of the voltage-gated sodium channel. 126*P*

Edmonds D.T. Transient changes in the charged state of an ion channel protein. 127*P*

Abbott N. Joan, Pichon Y. & Brown E.R. Long-term microelectrode recording from Schwann cells surrounding the isolated giant axon of the squid; steady and oscillating potentials. 128*P*

McLatchie L.M. & Matthews H.R. Voltage-dependent block by *l-cis*-diltiazem of the cyclic GMP-activated conductance of rods isolated from the tiger salamander retina. 129*P*

Röper J., Hainsworth A.H. & Ashcroft Frances M. ATP-sensitive K channels in guinea-pig isolated substantia nigra neurones are modulated by cellular metabolism. 130*P*

Colino A. & Halliwell J.V. Carbachol causes an increase in I_Q in rat hippocampal neurones *in vitro*. 131*P*

Inoue I., Nakaya S. & Nakaya Y. An ATP-sensitive K^+ channel activated by extracellular Ca^{2+} and Mg^{2+} in primary cultured arterial smooth muscle cells. 132*P*

Šipinková I., Hahn G., Meyer M. & Piiper J. Gas transport in panting dogs studied by expirograms of O_2, CO_2 and intravenously infused C_2H_2 and Freon-22. 133*P*

POSTER COMMUNICATIONS

Walter S.J. & Shirley D.G. Effect of haemorrhage on proximal tubular function in anaesthetized rats. 134*P*

Rahman A.R., Motwani J.G. & Struthers A.D. Dose–response relationship between angiotensin II and renal sodium handling in man. 135*P*

Atherton J.C., Doyle A., Gee A., Gingell S., Green R. & Nichols F. Renal handling of magnesium in man: effects of bumetanide and acetazolamide. 136*P*

Wells T. A comparison of plasma and cerebrospinal fluid composition and angiotensin II (Ang II) concentrations in anaesthetized male Long Evans and Brattleboro Rats. 137*P*

Perrott M.N. Neurohypophysial peptide hormone stimulation of cAMP accumulation in isolated kidney tubules of the rat. 138*P*

Lang C.C., Rahman A.R. & Struthers A.D. Renal interaction between angiotensin II and the sympathetic nervous system in man. 139*P*

Sutters M., Duncan R. & Peart W.S. Dietary salt restriction increases renal sensitivity to vasopressin in man. 140*P*

McVicar A.J. Renal sodium handling in conscious nephrotic rats. 141*P*

Brown J. & Czarnecki A. Receptor subtypes for atrial natriuretic peptide (ANP_{1-28}) in the brains of Wistar–Kyoto and spontaneously hypertensive rats. 142*P*

Robson L. & Hunter M. Increases of frog isolated proximal tubule cell lengths induced by hypotonic shock and alanine. 143*P*

Sewell Katharine & Potts D.J. Euro-Collins transplant preservation solution and cell swelling in strophanthidin-treated rabbit kidney isolated proximal tubule. 144*P*

Shaw A.J., Mughal M.Z. & Sibley C.P. Effect of amiloride and of Na^+-free perfusate on maternofetal transfer of magnesium by the *in situ* perfused placenta of the anaesthetized rat. 145*P*

Huang C., Davis G. & Johns E.J. The effect of specific V_1 and V_2 vasopressin antagonists on the renal cortical and papillary response to vasopressin in anaesthetized rats. 146*P*

Machin I. Hydrochlorothiazide does not increase renal lithium clearance in conscious dogs with atrioventricular blockade. 147*P*

Wells T. & Balment R.J. The renal effects of central angiotensin II (Ang II) administration in the anaesthetized rat are inhibited by saralasin. 148*P*

Mathias Wendy Renal excretion of fluid and electrolyte in dextrose and hypotonic saline-infused chronically catheterized conscious Brattleboro (DI) and Long Evans (LE) rats. 149*P*